


# HP Premium Instant-dry Gloss Photo Paper



## The HP Designjet printing system—the complete solution

HP Designjet printers, Original HP inks and printheads, and Original HP printing materials are designed to work together as a system to provide reliable, consistent results with every print.



### See it instantly—images pop right off the page

#### Impress with unrivaled image quality

Make an even bigger impression. Improved HP Premium Instant-dry Gloss Photo Paper delivers unrivaled image quality for brilliant photos and high-impact display graphics—from posters and presentations to retail graphics.

#### Save time and money with instant-dry prints

Save time, streamline your workflow, and increase your productivity. Prints dry instantly for immediate handling and lamination. And HP Premium Instant-dry Gloss Photo Paper delivers the easy, trouble-free printing you expect from HP.

#### Gain versatility, print with the environment in mind

Count on long-lasting prints with this FSC®-certified paper. Get great results for indoor display graphics, whether you're printing with HP dye- or pigment-based inks. And get exceptional print permanence, in-window¹ or away from direct sun.²

Target customers	Applications	Benefits	
5 1 7		Better image quality with Original HP dye-based inks (more vivid colors, deeper blacks, finer detail)	
Photo labs	Posters and presentations	Better image quality with Original HP pigment-based inks (deeper blacks)	
Print service providers	POP and retail displays	Noticeably whiter sheet	
Graphic designers	Photo enlargements	Higher opacity	
Artists	Art reproductions	Durable, long-lasting prints	
	Geographic Information Systems (GIS)	FSC®-certified paper	
		Recyclable through commonly available programs <sup>3</sup>	

## **Technical specifications**



#### **HP Premium Instant-dry Gloss Photo Paper**

Weight	260 g/m² per ISO 536 Test Method					
Thickness	261 microns/10.3 mil per ISO 534 Test Method					
Opacity	97% per TAPPI T-425 Test Method					
Brightness	92% per TAPPI T-452 Test Method					
Whiteness	105 per CIE Ganz 82 Test Method					
Finish	Gloss					
Operating temperature	15 to 30° C / 59 to 86° F					
Operating humidity	30 to 80% RH					
Display permanence (Indoor home or office)	Up to 200 years with Original HP 772, HP 91, or HP 70 Photo Inks, or HP 771 Vivid Photo Inks; up to 100 years with Original HP 83 UV inks <sup>4</sup>					
Display permanence (Commercial in-window, unlaminated)	Up to 1 year with Original HP 771 Vivid Photo Inks or HP 91 or HP 70 Photo Inks <sup>5</sup>					
Display permanence (Commercial in-window, laminated)	Up to 3 years with Original HP 91 or HP 70 Photo Inks; up to 2 years with Original HP 771 Vivid Photo Inks <sup>5</sup>					
Water resistance	Water resistant with Original HP 772, HP 91, or HP 70 Photo Inks, or HP 771 Vivid Photo Inks, or HP 83 UV inks <sup>6</sup>					
Dry time	Less than 2 minutes (at 23° C, 50% RH)					
Lamination	Yes, hot or cold					
Shelf life	2 years, unopened in original packaging					
Storage temperature	18 to 30° C / 64 to 86° F					
Storage humidity	35 to 65% RH					
Recyclability	In North America and Asia (including Japan), recyclable in consumer collection systems that can accept mixed paper (may not be recyclable in your area); in Europe recyclable in consumer collection systems that accept liquid packaging					
Country of origin	Product of Germany					
Ordering information	Product numbers	Roll sizes	UPC codes	Region		
	Q7991A	610 mm x 22,9 m (24 in x 75 ft)	848412013283	Worldwide		
	Q7993A	914 mm x 30,5 m (36 in x 100 ft)	848412013290	Worldwide		
	Q7995A	1067 mm x 30,5 m (42 in x 100 ft)	848412013306	Worldwide		
	Q7997A	1270 mm x 30,5 m (50 in x 100 ft)	848412013313	Americas, Asia		
	Q7999A	1524 mm x 30,5 m (60 in x 100 ft)	848412013320	Worldwide		

#### Warranty





